

## Wire handling systems

### Mechanical properties

## HJT Wire Handling Systems. The handling technology for lifting solutions.

Professional manual handling system for coils and spools/reels.

### DIN 355

#### Plastic spool DIN 355

Designation: Handling system for lifting wire spools.

Details: Scissor tongs with two opening jaws.

Ref: HJT100DIN355	Inside Ø	Outside Ø	max. weight	coil width	Deadline weeks	Item weight
	30 - 36 mm	355 mm	100 kg	300 mm	12	2.50 kg

### SH 390 | SH 460

#### Plastic spool SH 390 | SH 460

Designation: Handling system for lifting wire spools.

Details: Handling system with three opening jaws a 120°.

Ref: HJT100SH	Inside Ø	OutsideØ	max. weight	coil width	Deadline weeks	Item weight
image not readable or error /multimedia/uploads/ima	300-310 mm	500 mm	100 kg	300 mm	12	6.50kg

## Z2 | Z3

### Z-Coil

Designation: Handling system for lifting wire spools.

Details: Handling system with three opening jaws a 120°.

Ref: HJT1000Z	Inside Ø	Outside Ø	max. weight	coil width	Deadline weeks	Item weight
image not readable or error /multimedia/uploads/ima	350-360 mm	1000 mm	500 kg	600 mm	15	36.50kg
	470-500 mm	1000 mm	1000 kg	600 mm		

**HJT - Handling technology for lifting solutions, with CE certification, has the most specific**

\* The data contained in this catalogue are for information purposes only and are not under any circumstances, contractual supply conditions. Errors and omissions excepted.

## **characteristics for a correct and safe handling of coils, reels and spools.**

HJT launches to the market three different models of tools for the lifting and handling of coils and spools/reels of wire up to 1.000kg. Valid for plastic reels DIN 355, SH 390, SH 460, and Z-pack Z2 and Z3.

Request to your sales contact at Vinco for the characteristics, as well the range of colours available.