

Wire handling systems

Właściwości mechaniczne

HJT Wire Handling Systems

The handling technology for lifting solutions.

DIN 355

Plastic spool DIN 355

Designation: Handling system for lifting wire spools.

Details: Scissor tongs with two opening jaws.

Ref: HJT100DIN355	Inside Ø	Outside Ø	max. weight	coil width	Deadline weeks	Item weight
	30 - 36 mm	355 mm	100 kg	300 mm	12	2.50 kg

SH 390 | SH 460

Plastic spool SH 390 | SH 460

Designation: Handling system for lifting wire spools.

Details: Handling system with three opening jaws a 120°.

Ref: HJT100SH	Inside Ø	OutsideØ	max. weight	coil width	Deadline weeks	Item weight
	300-310 mm	500 mm	100 kg	300 mm	12	6.50kg

Z2 | Z3

Z-Coil

Designation: Handling system for lifting wire spools.

Details: Handling system with three opening jaws a 120°.

Ref: HJT1000Z	Inside Ø	Outside Ø	max. weight	coil width	Deadline weeks	Item weight
	350-360 mm	1000 mm	500 kg	600 mm	15	36.50kg
	470-500 mm	1000 mm	1000 kg	600 mm		

HJT - Handling technology for lifting solutions, is CE certificied and developed in

* Dane zawarte na tej stronie internetowej mają charakter czysto informacyjny i w żadnym wypadku nie stanowią warunków handlowych dostawy. Z wyjątkiem błędu lub niedopatrzenia.

accordance with the most demanding security standards in the market.

Detailed quality control and special design for safe handling of spools for weight up to 1000Kg.

Consult to our VINCO's expert about the technical characteristics and colour range.